


Cisco.com

Cisco IP Transfer Point (ITP) Network Management Product Presentation

BEST AVAILABLE COPY


ITP Network Architecture

Cisco.com



Cisco IP Transfer Point (ITP) Network Management Scope

Cisco.com



Cisco ITP Management Strategy

Cisco.com

IP Cloud Management

- Take advantage of off-the-shelf tools for normal router management (CiscoWorks2000, IP Manager, and so on)

SS7oIP Management

- Use Cisco Signal Gateway Manager (SGM) to support Cisco ITP domain-network management

Auto-discovery with graphical topology map

Status monitoring and alerts, with drill-down analysis

Configuration of route and global title translation (GTT) tables

- Provide support for IETF standard and Cisco ITP Simple Network Management Protocol (SNMP) management Information bases (MIBs)

Traditional SS7 Management

- Partner with leading management vendors for end-to-end call trace, packet analysis, long-term trending and analysis

Cisco SGM Product Definition

Cisco.com

Cisco Signaling Gateway Manager (SGM) is a network-management software product that enables Cisco IP Transport Point (ITP) network with user-friendly administration to discover, manage, and troubleshoot SS7 traffic over IP (SS7oIP) networks, which enhances scalability while adding more sophisticated network management and control.

Cisco Release 2.0 SGM Key Features

Cisco.com

- Support Cisco ITP networks
- Router Discovery and SS7oIP topology map
- Statistics and status monitoring for SS7, SIGTRAN, IP, and so on
- Drill-down diagnostic applications
- User definable polling and events
- Destination point code (DPC) route table configuration
- Global title translation (GTT) table configuration
- Other Cisco and third-party network management products integration
- Log and display messages (into files on the server) with various types: State change, SNMP trap, errors, debug, and so on

MIBs Supported in Cisco SGM

Release 2.0

CISCO.COM

- Cisco specific MIBs:
 - resource, interface, and protocols MIBs
- Cisco ITP specific MIBs by product number:
 - CISCO-IETF-SCTP-MIB : SCTP and RFC 2960
 - CISCO-ITP-SP-MIB : SS7 variant, links, linksets, MTP
 - CISCO-ITP-SCCP-MIB : SCCP and GTT
 - CISCO-ITP-ACL-MIB : Screening
 - CISCO-ITP-ACT-MIB : Accounting
 - CISCO-ITP-RT-MIB : Route table
 - CISCO-ITP-TC-MIB : Common textual conventions, such as ANSI C typedef, for all of the MIBs listed above.
 - CISCO-SCCP-MIB : SCCP transport over SS7


Cisco SGM System Characteristics

Cisco.com

- 3-tier client server design with reliable message bus
- Standard protocol (SNMP)-based device communication
- Remote and easy-to-access client interface
- Direct CiscoView launch for graphical element management
- Direct CiscoWorks2000 launch for general Cisco IOS software router management
- High performance with multiple operators graphical user interface (GUI) support
- Self healing process management

Cisco SGM System Functional View

CISCO.COM



Cisco Release 2.0 SGM System Configuration


Cisco.com

- **Server**
 - Solaris 2.6, 2.7, 2.8
- **Client**
 - Solaris 2.6, 2.7, 2.8
 - Windows 2000 with Netscape Communicator 4.7 or Microsoft Internet Explorer 5.01 (or later)
- **Bundled Web Server:**
 - No administration required
 - Does not interfere with any existing Web server
- **HTML Browser Based Help System:**
 - Refer to product manual for detailed system configuration

Cisco ITP Deployment Operational Environment


CISCO.COM

Example: Signaling Transfer Point (STP) Offload



Cisco SGM 2.0 Topology

CISCO.COM



Cisco SGM 2.0 Discovery and Node Display

CISCO.COM

SGM: Discovery Dialog (Discovery In Progress)

File Help

Seed Settings: Discovery

Discovery Settings

☒ Entire Network
 ☒ Delete Existing Data

Discover Network

Discovered Nodes

Name	IP Addr	Point Code	Read Community	Device
0.1.1	N/A	0.1.1	N/A	Unknown
1.1.2	N/A	1.1.2	N/A	Unknown
1.255.0	N/A	1.255.0	N/A	Unknown
4.1.2	N/A	4.1.2	N/A	Unknown
4.1.4	N/A	4.1.4	N/A	Unknown
milano-2600-a	10.120.120.18			Unknown
milano-2600-b	10.120.120.19			Unknown
napoli-2600-a	10.120.120.11	1.1.1	public	Cisco2600
roma-2600-a	10.120.120.2			Unknown
roma-2600-b	10.120.120.10			Unknown
venezia-7500	10.120.120.34			Unknown

Delete

Poll

Stop Discovery

SGM: Node Window - sgm-sun10.cisco.com

File Edit View Debug Help

Name	IP Addr	Point Code	Read Community	Device Type	Status
0.1.1	N/A	0.1.1	N/A	Unknown	Unmanaged
0.1.2	N/A	0.1.2	N/A	Unknown	Unmanaged
1.255.0	N/A	1.255.0	N/A	Unknown	Unmanaged
4.1.2	N/A	4.1.2	N/A	Unknown	Unmanaged
4.1.4	N/A	4.1.4	N/A	Unknown	Unmanaged
5.1.1	N/A	5.1.1	N/A	Unknown	Unmanaged
5.1.2	N/A	5.1.2	N/A	Unknown	Unmanaged
milano-2600-a	10.120.120.18	3.1.1	public	Cisco2600	Active
milano-2600-b	10.120.120.19	3.1.2	public	Cisco2600	Warning
napoli-2600-a	10.120.120.3	1.1.2	public	Cisco2600	Active
napoli-2600-b	10.120.120.11	2.1.2	public	Cisco2600	Active
roma-2600-a	10.120.120.2	1.1.1	public	Cisco2600	Warning
roma-2600-b	10.120.120.10	2.1.1	public	Cisco2600	Active
venezia-7500	10.120.120.34	4.1.1	public	Cisco7500	Active

Cisco SGM 2.0 Linkset Monitoring

Cisco.com

SGM Linkset Window - sgm-sun10.cisco.com

File Edit View Debug Help

Name	Adjacent Node	Type	Links	Active Links	Congested Links	Ignored	Status
milano-2600-a	5.1.1	Other	0	0	0	<input checked="" type="checkbox"/>	Inactive
milano-2600-a	5.1.2	Other	0	0	0	<input checked="" type="checkbox"/>	Inactive
milano-2600-b	roma-2600-b	SCTP	1	1	0	<input type="checkbox"/>	Active
milano-2600-b	napoli-2600-b	SCTP	1	1	0	<input type="checkbox"/>	Active
milano-2600-b	milano-2600-a	Serial	2	0	0	<input checked="" type="checkbox"/>	Inactive
milano-2600-b	roma-2600-a	SCTP	1	1	0	<input type="checkbox"/>	Active
milano-2600-b	5.1.1	Other	0	0	0	<input type="checkbox"/>	Inactive
milano-2600-b	5.1.2	Other	0	0	0	<input type="checkbox"/>	Inactive
napoli-2600-a	roma-2600-b	SCTP	1	1	0	<input type="checkbox"/>	Active
napoli-2600-a	napoli-2600-b	SCTP	1	1	0	<input type="checkbox"/>	Active
napoli-2600-a	roma-2600-a	Serial	1	1	0	<input type="checkbox"/>	Active
napoli-2600-a	0.1.2	Serial	1	0	0	<input checked="" type="checkbox"/>	Inactive
napoli-2600-a	venezia-7500	SCTP	1	1	0	<input type="checkbox"/>	Active
napoli-2600-a	milano-2600-a	SCTP	1	0	0	<input checked="" type="checkbox"/>	Shut
napoli-2600-b	roma-2600-b	Serial	2	1	0	<input type="checkbox"/>	Active
napoli-2600-b	roma-2600-a	SCTP	1	1	0	<input type="checkbox"/>	Active
napoli-2600-b	milano-2600-a	SCTP	15	15	0	<input type="checkbox"/>	Active
roma-2600-a	0.1.1	Serial	1	0	0	<input type="checkbox"/>	Inactive
roma-2600-a	1.255.0	Other	0	0	0	<input type="checkbox"/>	Inactive
roma-2600-a	4.1.2	SCTP	1	0	0	<input type="checkbox"/>	Inactive
roma-2600-b	milano-2600-a	SCTP	1	1	0	<input type="checkbox"/>	Active
roma-2600-b	napoli-2600-a	SCTP	1	1	0	<input type="checkbox"/>	Active

Sorted Report

Links	Active Links	Congested Links	Ignored	Status
2	1	0	<input type="checkbox"/>	Warning
1	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
0	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
0	0	0	<input type="checkbox"/>	Inactive
0	0	0	<input type="checkbox"/>	Inactive
0	0	0	<input type="checkbox"/>	Inactive
1	0	0	<input type="checkbox"/>	Inactive
2	0	0	<input type="checkbox"/>	Inactive
0	0	0	<input type="checkbox"/>	Inactive
0	0	0	<input type="checkbox"/>	Inactive
1	1	0	<input type="checkbox"/>	Active
15	15	0	<input type="checkbox"/>	Active
1	1	0	<input type="checkbox"/>	Active
1	1	0	<input type="checkbox"/>	Active
1	1	0	<input type="checkbox"/>	Active
1	1	0	<input type="checkbox"/>	Active

CISCO.COM

© 2001, Cisco Systems, Inc. All rights reserved.

Cisco SGM 2.0 DPC Route Table Configuration

Cisco.com

SGM: Route Table Dialog -- roma-2600-a

Destination Point Code

Destination Linkset

Mask

Cost

5.1.2	a-to-f	7.255.7	5
5.1.1	a-to-f	7.255.7	3
3.1.2	a-to-c	7.255.7	1
3.1.2	a-to-d	7.255.7	2
3.1.2	a-to-f	7.255.7	3
3.1.1	a-to-f	7.255.7	3
2.1.1	a-to-d	7.255.7	3
2.1.1	a-to-c	7.255.7	5

Save

Delete

Print

Cancel

Help

Cisco SGM 2.0 Message Log Control and Viewing

Message Log Client: sgm-sun10

File View

4394 | 8/3/01 | 2:11:37 PM | Info | sgmClient:rolive-w2k:e8197ac246 | AWT-EventQueue-01 | Name = S-d-c

4395 | 8/3/01 | 2:11:37 PM | Info | sgmClient:rolive-w2k:e8197ac246 | AWT-EventQueue-01 | NodeId=3

4396 | 8/3/01 | 2:11:37 PM | Info | sgmClient:rolive-w2k:e8197ac246 | AWT-EventQueue-01 | Adj.NodeId=2

4397 | 8/3/01 | 2:11:37 PM | Info | sgmClient:rolive-w2k:e8197ac246 | AWT-EventQueue-01 | LinkType=2

4398 | 8/3/01 | 2:11:37 PM | Info |

4399 | 8/3/01 | 2:11:37 PM | Info |

4400 | 8/3/01 | 2:11:37 PM | Info |

4401 | 8/3/01 | 2:11:37 PM | Info |

4402 | 8/3/01 | 2:11:37 PM | Info |

4403 | 8/3/01 | 2:11:37 PM | Trace |

4404 | 8/3/01 | 2:11:37 PM | Trace |

4405 | 8/3/01 | 2:11:37 PM | Trace |

4406 | 8/3/01 | 2:11:37 PM | Trace |

4407 | 8/3/01 | 2:11:37 PM | Trace |

4408 | 8/3/01 | 2:11:37 PM | Info |

4409 | 8/3/01 | 2:11:37 PM | Trace |

4410 | 8/3/01 | 2:11:37 PM | Trace |

4411 | 8/3/01 | 2:11:37 PM | Info |

4412 | 8/3/01 | 2:11:37 PM | Trace |

4413 | 8/3/01 | 2:11:37 PM | Trace |

4414 | 8/3/01 | 2:11:37 PM | Trace |

4415 | 8/3/01 | 2:11:37 PM | Trace |

4416 | 8/3/01 | 2:12:18 PM | Info |

Log Control

File

Process Name	Debug	Dump	Error	Info	Shmp	State	Trace	Trap
sgmClient:rolive-w2k:e8197ac246	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
sgmDataServer:sgm-sun10:e8197ac246	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
sgmTrapReceiver:sgm-sun10:e8197ac246	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Specify fields to be displayed

☒ Sequence ID
 ☒ Process Name
 ☒ Time Stamp
 ☒ Thread Name
 ☒ Message Type

Specify a process name to filter by

None

Specify the number of messages to display

Number of messages: 2000

Apply

Process debug mode changed

Cisco Release 2.0 SGM Installation


Cisco.com

- Simple menu-driven installation
- Solaris package and Windows InstallShield
- Express and custom installations
- Separate server and client installations
- Clients can be downloaded from server
 - Installed on client machines (Windows 2000 or Solaris)
- Clients can connect to any remote server

Cisco SGM Summary

Cisco.com

- Provides a smooth transition for management of an IP network for SS7 traffic
- Supports efficient deployment of SS7oIP traffic on Cisco ITP network
- Enables integration with other SS7 network management system (NMS) applications for reduced entry cost and a rich set of management applications from the beginning
- Reduces learning time for SS7 NMS personnel by providing a consistent SS7 mapping system for Cisco ITP networks



**EMPOWERING THE
INTERNET GENERATION**

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)